WEATHERIZATION PRODUCTS

CONTENTS:

Foam and Neoprene Tape	WP-2 - WP-3
Vinyl Tape	WP-3
Hemmed Vinyl and Replacement Vinyl	WP-4



INDEX:

PRODUCT PAGE	PRODUCT PAGE	PRODUCT PAGE
30AVWP-4	P364R6WP-4	P480VVP-2
P39C7WP-3	P365V6WP-4	P484VVP-3
P39C80WP-3	P366V6WP-4	P485VVP-3
P5B7WP-4	P380WP-3	P490VVP-2
P240WP-2	P38WP-3	P49VVP-2
P24WP-2	P384WP-3	P493VVP-2
P24-30WP-2	P385WP-2	P497WP-2
P242WP-2	P386WP-2	P497WP-2
P243WP-2	P387WP-3	P5BL7WP-4
P244WP-2	P388VVP-3	PV9GR36WP-4
P260WP-2	P390WP-2	PVGR36WP-4
P26WP-2	P39WP-2	PV3GR36WP-4
P262WP-2	P392WP-2	PV5GR36WP-4
P263WP-2	P393WP-2	PV22BL36WP-4
P264WP-2	P394WP-2	PV22GR36WP-4
P265WP-2	P396WP-2	PV64GR36WP-4
P266WP-2	P397WP-2	PV83TN36WP-4
P36V6WP-4	P398WP-2	

800-824-3018 www.pemko.com

Open Cell Polyurethane Foam Tape

• Easily compressible self-adhesive weatherstrip

Product #	Color	Thickness (T)		Width (W)		Length
P390	Gray	3/16"	×	3⁄8"	×	17'
P391	White	1/4•	×	3⁄8"	x	17'
P392	Gray	3⁄8"	×	3⁄8"	×	17'
P393	Gray	1⁄2"	×	1⁄2"	x	17'
P394	Gray	1⁄2"	×	3⁄4"	×	17'
P396	Charcoal	1⁄4"	×	1⁄2"	×	17'
P397	White	1⁄8"	×	3⁄8"	×	17'
P398	Gray	1⁄4"	×	3⁄4"	x	17'

Suggested Installation



Open Cell Foam Tape installed on casement window.

Closed Cell Soft PVC Foam Tape

- Flexible, conformable, and softly compressible self-adhesive weatherstrip
- Highly resilient: resists ultraviolet, oxygen and moisture degradation

Product #	Color	Thickness (T)		Width (W)		Length
P240	Gray	1⁄8"	×	1⁄4"	×	17'
P241	Gray	³ ⁄16"	×	3⁄8"	×	17'
P241-30	Gray	³ ⁄16"	×	3⁄8"	×	30'
P242	Gray	1⁄4"	×	3⁄8"	×	17'
P243	Gray	3⁄8"	×	3⁄8"	×	17'
P244	Gray	3⁄8"	×	3⁄4"	×	17'

• Seals against air and water, around doors and windows

Adhesive Backing



Suggested Installation



Top view of **Closed Cell PVC Soft Foam Tape** installed on door opening.

Closed Cell Firm PVC Foam Tape

• Moderately compressible self-adhesive weatherstrip

Product #	Color	Thickness (T)		Width (W)		Length
P260	Black	1⁄8"	×	1⁄4"	x	17'
P261	Black	3⁄16"	×	3⁄8"	×	17'
P262	Black	³ ⁄16"	×	3⁄4"	×	17'
P263	Black	5⁄16"	×	3⁄8"	×	10'
P264	Black	5⁄16"	×	3⁄4"	×	10'
P265	Black	7⁄16"	×	3⁄8"	×	10'
P266	Black	7⁄16"	×	3⁄4"	×	10'
P385	Gray	1⁄4"	×	1⁄2"	x	10'
P386	Gray	1⁄4"	×	3⁄4"	×	10'



Suggested Installation



Closed Cell PVC Firm Foam Tape installed as car trunk weatherstrip.

EPDM Sponge Neoprene Tape

- Slightly compressible self-adhesive weatherstrip
- Resists deterioration and remains flexible at sub-zero temperatures

Product #	Color	Thickness (T)		Width (W)		Length
P490	Gray	1⁄8"	×	3⁄8"	×	10'
P491	Gray	1⁄4"	×	3⁄8"	×	10'
P493	Gray	1⁄4"	×	1⁄2"	×	10'
P497	Gray	1⁄4"	×	3⁄4"	×	10'

• Superior product for weatherstripping doors, windows, hatchways, lids and covers



Suggested Installation



EPDM Sponge Neoprene Tape installed as boat hatch weatherstrip

Copyright © 2012, Pemko Manufacturing Co., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Pemko Manufacturing Co. is prohibited.

SSA ABLOY

Closed Cell Sponge Neoprene Tape

- Superior product for weatherstripping homes, Remains flexible at high and low temperatures cars, trucks and boats
- Resists deterioration from oily substances

Product #	Color	Thickness (T)		Width (W)		Length
P380	Black	³ ⁄16"	×	3⁄8"	×	10'
P381	Black	⁵ ⁄16"	×	3⁄8"	x	10'
P384	Black	7⁄16"	×	3⁄4"	x	10'
P387	Black	³ ⁄16"	×	3⁄4"	x	10'
P388	Black	⁵ ⁄16"	×	1⁄2"	×	10'
P484	Black	7⁄16"	×	3⁄8"	×	10'



Suggested Installation



Closed Cell Sponge Neoprene Tape installed

as car door weatherstrip.

Closed Cell Sponge Vinyl Camper Tape

• Mylar-backed tape cushions between camper and truck

Product #	Color	Thickness (T)		Width (W)		Length		(3 Adhesive B
P480	Gray	3⁄16"	×	11⁄4"	×	30'	(4.8) 👲	



Suggested Installation



Sponge Vinyl Camper Tape installed as seal between camper and truck bed

Closed Cell Foam Pipe Wrap Tape

• Aluminum foil-backed tape reduces heat loss in water pipes; prevents condensation and helps reduce air loss in heater when used on joints

Product #	Color	Thickness (T)		Width (W)		Length
P485	Gray	1⁄8"	x	2"	x	15'



Suggested Installation



Closed Cell Foam Pipe Wrap Tape installed on pipe and pipe joint

System-V Weatherstrip Tape

• Compression adhesive weatherstrip is easy to install and seals out air, dust and sound

Product #	Color	Width		Length
P39C17	Clear	7⁄8"	×	17'
P39C180	Clear	7⁄8"	×	180'

For more weatherstripping products (such as $\rm PK33,\,PK55$ and $\rm S88)$ see pages AG-2 through AG-4 in the Adhesive Gasketing Section.

7/1°-(14.3)

Suggested Installation



System-V Weatherstrip Tape installed onto door jamb stop

WP-3

Copyright © 2012, Pemko Manufacturing Co., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Pemko Manufacturing Co. is prohibited. 800-824-3018 www.pemko.com

Hemmed Vinyl and Garage Weatherstrip

- Vinyl bulb weatherstrip, retained in flexible aluminum
- Nail to door stops and window stops to block drafts and air infiltration

Hemmed Vinyl Weatherstrip

(19.1)

Product #

P361V16

P364R16

P365V16

P366V16

Garage Door Weatherstrip

Color

Black

Black

Grav

Black



• All garage door weatherstrips are furnished with roofing nails

Width

5⁄8"

× 1"

× 21⁄4"

х

х 1⁄2" Length

х 16'

х 16'

х 16'

× 16'

Height

11⁄2"

3∕4"

13⁄4"

5⁄8"

- Nails included
- Fills gaps up to 1/4"



• Nails to door edge, bottom or jamb, closing gaps up to 11/2"

P364R16

• Nails to door bottom, closing gaps up to 5⁄8"

P365V16



• Nails to door edge, bottom or face, closing gaps up to 13/4"

P366V16



• Nails to door edge, jamb edge, or door bottom

Spring Bronze Weatherstrip

- For use on wood doors and wood casement windows
- .008" hemmed spring bronze (brass)

Product #	Material	Width		Length
P51B17	Bronze	11⁄8"	×	17'

• Packaged with nails. Nails should be approximately 11/2" on center

Replacement Vinyl

Door Shoe Replacement Vinyl

Product #	Color	Used In (PEMKO Product Numbers):
PV9BL36	Black	210, 211, 215, 216, 217, 220, 221, 222, 234, 2211, 2221
PV9GR36	Gray	210, 211, 215, 216, 217, 220, 221, 222, 234, 2211, 2221
PV15GR36	Gray	209



Threshold Replacement Vinyl

Product #	Color	Used In (PEMKO Product Numbers):
PV11GR36	Gray, Black	203, 204, 237 238
PV13GR36	Gray, Black	208
PV22BL36	Black	206, 207
PV22GR36	Gray	206, 207
PV64GR36	Gray	249, 250
PV83TN36	Tan	2030AK36: 72" , 2040AK36: 72", 2080AK36





Copyright © 2012, Pemko Manufacturing Co., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Pemko Manufacturing Co. is prohibited.